MW

TOOLBOXES, TRAILERS, TENTS
CANOPIES, SERVICE BODIES & TRAYS

2020-2021
1st Edition

NSW ACT VIC QLD WA SA

1800 554 434

NSW: www.toolboxcentre.com.au

QLD: www.mwtoolboxqld.com.au

VIC: www.toolboxmel.com.au

SERVICE BODIES

Full body mounted on chassis directly

Options

Central Locking System

Internal Fit Outs

MAXI LED Tail Lights

Spare Wheel Carrier

Standard Full Roof Rack

Foldable Ladder

Custom Built Full Roof Rack

Jerry Can Holder

Service Bodies

MW PREMIUM TRAY

(custom built by using MW standard alloy tray)

Options

- MAXI LED Tail Lights
- Powder coated finishing

Without Rope Rails

With Rope Rails

Tray Deck Only

FULLY CUSTOM BUILT TRAY

Options

- MAXI LED Tail Lights
- Powder coated finishing

CUSTOM-MADE CANOPIES

Styles

Standard	Jack-off system
	
Fully enclosed with a basic floor	with reinforced floor

Features

- Light weight
- Strong reinforcement
- Aluminium construction
- High security
- Dust resistant
- Water resistant



Options

Fixed Window	Mesh Protected Window	Sliding Window	Drawers	Jerry Can Holder
Front / Back Roof Rack	**Heavy Duty Roof Rack**	**Heavy Duty Roof Rack with Roller**	**Back Door & Under Tray Sliding Drawer**	**Powder Coating**
Foldable Ladder	**Sliding Tray**	**Air Vent**	**Spare Wheel Carrier**	**Roller Door**

Materials
Aluminium Checker Plate
Aluminium Flat Plate
Aluminium Propellor Plate

MOTOP TENTS

Main Features

- Using lightweight and incredibly strong aluminum tube-reinforced honeycomb
- Extra insulation liner added inside the top shell
- 280GSM poly-cotton canvas
- 100% Waterproof and breathable
- 70mm thick high-density memory foam mattress with washable cotton bed linen
- Anti-condensation mat placed underneath the mattress

Model	Internal Dimensions (mm)	External Dimensions (mm)	Weights (kg)
MT-120	2170L X 1200W X 1450H	2250L x 1280W x160H	69
MT-135	2170L X 1350W X 1450H	2250L x 1430W x160H	73

MW CAMPER

Features

- Electronic control popup roof
- 4 electronic fans on roof for extra air circulation
- Built in 100 litre water tank with electric water pump
- Electrical system (12 volt charger, anderson plug)
- Shower space with curtain for privacy
- Spare wheel carrier
- Mattress and sofa
- LED lights strips all around
- 270 degree awning

PRE-MADE CANOPIES & DOG CAGES

Pre-made Canopies

Standard	Jack-off	Features
		Manual 3-Point Whale Tail Lock
		Alarm System
		Rubber Mat

Model	Length(mm)	Width(mm)	Height(mm)	Thickness(mm)
Dual Cab	1800	1770	850	2.5
Extra Cab	2100			
Single Cab	2400			

Pre-made Mini Canopies and Dog Cages

Mini Canopy	Dog Cage	Half Dog Box Half Mini Canopy

Length(mm)	Width(mm)	Height(mm)	Thickness(mm)
700	1770	850	2.0

Tubing & Mesh Dog Cage

Length(mm)	Width(mm)	Height(mm)
700	1770	850

Main Features

- Fully TIG welded
- Full Length Stainless Steel Piano Hinge, Dual Gas Struts Support
- MW Own Manufactured Heavy Duty T Handle Lock with 5,000 Key Combinations Specific for Toolbox Applications
- Fully Rubber Sealed, Weather -Resistant
- Recessed Lid & Frame Structure Provides Top Security and Strength
- Comes standard with U-channel reinforcing on roof, front & rear panel and all doors

Partial Canopy

Length(mm)	Width(mm)	Height(mm)	Thickness(mm)
1200 / 1500	1770	850	2.5

PRE-MADE CANOPY & STANDARD TRAY DECK PACKAGE

PACKAGE

- Pre-made Canopy (Dual Cab)
- Standard Tray Deck (Dual Cab)
- Under Body Boxes (One pair)
- Under Body Sliding Drawer (1700mm Long)

Pre-made CANOPY
(Dual Cab)

1800 L x 1770 W x 850 H

- With Basic Floor
- Material: Checker Plate
- Thickness: 2.5mm
- 3 doors: Left, right and back
- 2 roof racks: front and back

TRAY DECK
(Dual Cab)

1830 L x 1860 W

- Alloy Tray Deck (Deck Only)
- Size: For Dual Cab Utes
- LED Tail Lights
- Mud Guards

UNDER BODY BOX

Standard Size

- Model: UTE x2(Left/Right)
- Material: Checker Plate
- Thickness: 1.6mm
- Size: 750(top)/580(bottom) x200(W)x400(H)

UNDER BODY SLIDING DRAWER

1700mm Long



- Material: Galvanised Steel (with aluminium facial panel)

MW TRAYS for UTEs



- Head board pipe 76mm
- Head board complete with mesh which is laser cut heavy duty zinc sheet metal
- Optional Net Fixing Brackets



- Comes with LED lights Include pair of load resistors



- Framed for easy fitting of our under body sliding tray (TTY)
- Optional Under tray sliding drawer
- Slots under tray for mud guard and under body box

Full Tray

Full Tray and removable rear ladder rack with Net

*Not available for Amarok

Model	Size	Weight(kg)
Dual Cab	1830(L)x1860(W)	115
Extra Cab	2130(L)x1860(W)	122
Single Cab 1	2450(L)x1860(W)	135
Single Cab 2	2560(L)x1860(W)	143

Tray Deck with Headboard

No Drop Sides

*Not available for Amarok

Model	Size	Weight(kg)
Dual Cab	1830(L)x1860(W)	95
Extra Cab	2130(L)x1860(W)	104
Single Cab 1	2450(L)x1860(W)	124
Single Cab 2	2560(L)x1860(W)	130

Tray Deck Only

No Head board; No Drop Sides

*Custom-built available for Amarok

Model	Size	Weight(kg)
Dual Cab	1830(L)x1860(W)	85
Extra Cab	2130(L)x1860(W)	100
Single Cab 1	2450(L)x1860(W)	113
Single Cab 2	2550(L)x1860(W)	120

Options

Powder coating

Upgrade to Premium Tray

Please see detailes on page 3

Accessories

Heavy Duty Light Protectors	Removable Rear Rack	Mud Guard	Fitting Frame	Net
				Size: 2000mm x 2000mm 2000mm x 2700mm

F Series Side Opening Boxes

FIL



FIS



FID



FIS DrawIn



FSS



Features

- Toolbox shape matches tray headboard/cab profile • Lifted lid provides shield from the rain
- Storage space created in between a pair of boxes • Huge storage capacity
- Drop down lid makes lifting in and out easy (FID model)
- A professional set up, ideal for Electricians and Plumbers
- Shelves and drawers keep all loose items organised and easy to locate
- Concealed lid and 4-fold frame structure provides top security and water resistance

FIC 2 drawers



FIC 3 drawers



Standard Size

Model	Length(mm)	Width(mm)	Height(mm)
A-FIL-BTL	1180 / 1480 / 1700	530	820
A-FIS-BTL			
FIS-DrawIn			
A-FID-BTL			
A-FIC-BTL			
A-FSS-BTL	2000	530	1100
A-FIS-BTL	2100	550	850

ST Series Top Opening

Features

- Wide opening for bulky items
- Larger capacity, accommodate a range of tools
- Low height to ensure clear view of traffic
- Drop-down lid at front (STD) provides easier access for bulky / heavy items
- Perfect for nail guns and drop-saw

STS Top Opening



STD Top and Front Opening



Standard Size

Model	Length(mm)	Width(mm)	Height(mm)
A-STS-BGS	1100 /1400 / 1730	600	500
A-STD-BGS	1100 /1400 / 1700		

REC Series Top Opening

A-REC-BCS
C-lock



A-REC-WCS

A-RET-BCS



Standard Size

Model	Length(mm)	Width(mm)	Height(mm)
A-REC-BCS	900	400	400
	1100	500	420
	1400		
	1700	550	450
A-REC-WCS	1000	600	600
A-RET-BCS	1040	550	420

LJB Site Box

Features

- Reinforcement brace on body provides extra strength
- Heavy gauge material (2.5mm) Aluminium Checker plate or 1.6 mm (Gal steel)
- Heavy duty handles and casters designed for tough building site environment
- Light weight and easy handling

Galvanised steel plate powder coated

Blue

Yellow

Standard Size

Model	Length(mm)	Width(mm)	Height(mm)
A-LJB-BCL	1180	700	750
G-LJB-BCL (Powder Coated)	1160		

TSO Wide Opening

Features

- Wide access for bulky items, such as jackhammers, generators



Opening Style

Standard Size

Model	Length(mm)	Width(mm)	Height(mm)
A-TSO-BTS	1100	500	500
A-TSO-BTL	1400 / 1800	600	700

DB Series Gullwing Box

Features

- Gull-wing lids enable easy access from either side
- Sit across back of tray against cab, providing ample space on tray
- Low height to ensure clear view of traffic
- Balanced weight on tray

DBL



DBU



Opening Style

Standard Size

Model	Length1(mm)	Length2(mm)	Width(mm)	Height(mm)
A-DBL-BCS	1700	790	500	400
A-DBU-BGS	1730	440		430

UI Series Side Opening

Features

- Storage space created in between a pair of boxes when installed
- Concealed lid and 4-fold frame structure provides top security and water resistance
- Lifted lid provides shield from the rain

UIS



UIL



Standard Size

Model	Length(mm)	Width(mm)	Height(mm)
A-UIS-BTL	1480 / 1700	550	820
A-UIL-BTL			

ALT In Tub Toolbox

Features

- Suitable for tub trays, pickup utes and can be accommodated in most vehicle models
- Top level with tub can be stored under hard lid/ tonneau cover



Standard Size

Model	Front / Back Length(mm)	Height1 / Height2(mm)	Top / Bottom Width(mm)
A-ALT-BCS	1400 / 1000	400 / 250	440 / 500

TDB Trailer Drawbar Box

Features

- Matches 4ft/ 5ft wide trailer
- Rear step allows full opening of lid
- Will not interfere with your turning circle



Standard Size

Model	Front / Back Length(mm)	Height1 / Height2(mm)	Top / Bottom Width(mm)
A-TDB-Trailerbox-C	500 / 1200	440 / 500	500 / 420

TTY Under Body Sliding Tray



Panel Options

Checker Plate


Flat Plate

Propellor Plate

Features

- Folded drawer core with horizontal and vertical rollers
- Heavy duty structure, providing good payload
- MW unique dual direction ball bearing rollers ensure smooth slide and rattle free operation
- 80% slide out without tilting
- Ideal to store long items or keep accessories organised
- Water tight • Safety locking system

Standard Size

Model	Length(mm)	Width(mm)	Height(mm)	Capacity(kg)
G-TTY-BTN	1400 / 1700 / 2100	750	170	100 (Evenly spread load)

UT Series Under Body Boxes

Features

- Match mudguards (UTE and UTC models)
- Clearance for rope rails
- Great for the storage of smaller items
- UTE / UTC have Left and Right angles
- Left angle suites rear passenger side or front driver side
- Right angle suites front passenger side or rear driver side

UTE



UTS



UTC



UTT

Standard Size

Model	Top Length(mm)	Bottom Length(mm)	Top Width(mm)	Bottom Width(mm)	Height (mm)
A-UTE-LTN / A-UTE-RTN	750	580	200 or 250		400
A-UTC-LTN / A-UTC-RTN			200	250	
A-UTS-BTN	580		200 or 250		
A-UTT-BTN	900		450		

ROLLER DOOR TOOLBOXES

Features

- 2.5mm Marine Grade Aluminum Flat Plate 5005 Series.
- Roller door design with lock.
- Two adjustable shelves design for flexible storage.
- Three size available suit all kinds of Ute and trucks.
- Powder coated interior and exterior area.
- Fully Rubber Sealed, Weather Resistant.

Roller Door (no shelves)

Non-Powder-Coated

Powder-Coated

Roller Door with Shelves

Standard size

Model	Length(mm)	Width(mm)	Height(mm)	Thickness
Roller Door (no shelves)	2000	600	1200	2.5
Roller Door with shelves	1200 / 1500 / 1800		930	

GB Generator Box

Standard size

Model	A-GBB-TS
Length(mm)	620
Width(mm)	400
Height(mm)	500



Opening Style

ACCESSORIES

LOCKS

B Lock

C Lock

G Lock

H Lock

S Lock

T Lock

Whale Tail Lock (Black/Silver)

Available in Manual or Central Locking System

OTHERS

Gas Struts

Anchor Point

Catch Fasteners

Spring Loaded

Handle

Vent

Wheels

OTHERS

Bottle Holder (A-OBH)

430mm(L)x190mm(W)x300mm(H)

Small Toolbox (A-HDF)



580mm(L)x280mm(W)x200mm(H)

Hand Carry case

660mm(L)x260mm(W)x265mm(H)

ALUMINIUM DRAWER

2 Drawers

520mm(L)x420mm(W)x430mm(H)

3 Drawers

I. 520mm(L)x430mm(W)x470mm(H)
II. 520mm(L)x430mm(W)x580mm(H)

4 Drawers

520mm (L)x430mm(W)x580mm (H)

5 Drawers

520mm(L)x430mm(W)x700mm(H)

Classic Drawer Slide

Small: 550mm(L)x600mm(W)x350mm(H)
Large: 800mm(L)x750mm(W)x350mm(H)

"D" Series Drawer Slide



Small: 550mm(L)x600mm(W)x350mm(H)
Large: 800mm(L)x750mm(W)x350mm(H)

Maxx Drawer Slide



550mm(L)x600mm(W)x300mm(H)

Drawer Slide

500mm(L)x450mm(W)x600mm(H)

MATERIALS



A: Aluminium Checker Plate
Thickness: 2.0mm / 2.5mm / 3.0mm

F: Aluminium Flat Plate
Thickness: 2.5mm / 3.0mm

P: Aluminium Propeller Plate
Thickness: 3.0mm

G: Galvanised Steel Plate
Thickness: 1.2mm / 1.6mm

ALLOY TRAILERS

WT-1	WT-2	WT-3	WT-4E
2 doors, fully enclosed	3 doors, fully enclosed	Box Trailer	3 doors, fully enclosed

WT-5	WT-UTE-D (with 1 drawer and brakes)	WT-UTE (without drawer and brakes)
3 doors, fully enclosed	Toolboxes sections and drawer	

Product Code		Standard Size Dimension (mm/ft)				
WT-1 / WT-2 / WT-3	Single Axle	1800x1200 6x4	2100x1200 7x4	1800x1500 6x5	2100x1500 7x5	2400x1500 8x5
WT-4E / WT-5	Double Axle					
WT-UTE	Single Axle					
WT-UTE-D	Single Axle					

Standard trailer bodies are made of 2mm thick aluminum checker plate and chassis are hot-deep galvanized.

ALLOY TRAILERS COVERS

TC-1	TC-2	TC-3	TC-4	TC-5	TC-6
					
200mm high	200mm high	400mm high	200mm high	500mm high	950mm high

Product Code	Standard Size Dimension (mm/ft)				
TC-1 / TC-2 / TC-3 TC-4 / TC-5 / TC-6	1840x1290 6x4	2140x1290 7x4	1840x1590 6x5	2140x1590 7x5	2440x1590 8x5

Standard thickness 1.6mm (checker plate)

Custom-built Trailers Available

Custom-Built

CANOPIES

Custom-Built

TOOLBOXES

In-Van Shelving System

Custom-Built

TRAILERS

Alloy Trailer Fleet

TUB TRAY

TRUCK

NSW & ACT

NSW Service Centre

Add: 578 Princes Highway, St.Peters,NSW2044
Tel: 02 9519 4714
Fax: 02 9519 3600

Add: 121 Church Street,Ryde, NSW 2112
Tel: 02 9809 0977
Fax: 02 9519 3600



Add: 99 Canterbury Road, Bankstown, NSW 2200
Tel: 02 9707 4660
Fax: 02 9708 0229

Add: 3/85 Griffiths Road, Lambton, NSW 2299
Tel: 02 4952 1609
Fax: 02 9012 0465

Add: 2083 Castlereagh Road, Penrith, NSW 2750
Tel: 02 4722 8366
Fax: 02 4722 8399



Add: 8C Flinders Street, Wollongong NSW 2500
Tel: 02 4200 9029

Add: 155 Newcastle Street, Fyshwick ACT 2609
Tel: 02 6239 3259

VIC

VIC Service Centre 1

Add: 69-81 Garden Rd, Clayton,VIC 3168
Tel: 03 9547 7279 / 04 2099 2066



Add: 12 Manningham Road, Bulleen, VIC 3150
Tel: 03 9850 3199

VIC Service Centre 2

Add: 8-10 Audsley Street, Clayton South, VIC 3169
Tel: 03 9543 4800



Add: 75 Lonsdale Street, Dandenong, VIC 3175
Tel: 03 9791 6499

Add: 586 Whitehorse Road, Mitcham, VIC 3132
Tel: 03 9873 5886



Add: 236 Canterbury Road, Bayswater North, VIC 3153
Tel: 03 9738 1006

Add: 45A Cooper Street, Campbellfield, VIC 3061
Tel: 0475 796 666



Add: 36 Nepean Highway, Mentone, VIC 3194
Tel: 03 9583 4799



Add: 252A Ballarat Road, Braybrook,VIC 3019
Tel: 03 9317 0962



Add: 257 Melbourne Road, North Geelong,VIC 3215
Tel: 03 5277 1022

QLD

QLD Service Centre

Add: 100 Musgrave Road, Coopers Plains, QLD 4108

Add: 754 Beaudesert Road, Coopers Plains, QLD 4108
Tel: 07 3875 1066

Add: 65 Kremzow Road, Brendale,QLD 4500
Tel: 07 3092 2530

Add: 2/2023 Sandgate Road, Virginia, QLD 4014
Tel: 07 3865 3300
Fax: 07 3633 0411

Add: 223 Brisbane Road, Labrador, QLD 4215
Tel: 07 5537 7004
Fax: 07 5537 7967

Add: 1/298 Bayswater Road, Garbutt, QLD 4814
Tel: 07 4725 5280

Add: 397 Yaamba Road, Park Avenue, QLD 4701
Tel: 07 4928 1977
Fax: 07 4928 2977

SA

SA Service Centre

Add: 969 South Road, Melrose Park, SA 5039
Tel: 0413 113 969

Add: 453 Main North Road, Enfield, SA 5085
Tel: 0413 113 929

Add: 167 Grand Junction Road, Ottoway, SA 5013
Tel: 0413 113 696

WA

WA Service Centre

Add: 28 Peel Road, (Cnr of Stock RD & Peel RD) O'connor, WA 6163
Tel: 08 9337 1339
Fax: 08 9337 1976

Campbelltown (reseller)

Add: 1/4A Hollylea Road, Leumeah NSW 2560
Tel: 02 4625 2111

Coffs Harbour (reseller)

Add: 144A Pacific Highway, Coffs Harbour, NSW 2450
Tel: 02 6651 6461

Taree (reseller)

Add: 26-28 Oxley Street, Taree NSW 2430
Tel: 02 6551 2479

Camden (reseller)

Add: 2/51 Topham Rd, Smeaton Grange NSW 2567
Tel: 02 4607 2520

Wagga Wagga (reseller)

Add: 18 Chaston Street, Wagga Wagga, NSW 2650
Tel: 0407 262 967

Central Coast (reseller)

Add: 338 Central Coast Highway, Erina, NSW 2250
Tel: 02 4367 7690
Fax: 02 4367 7894

1800 554 434

NSW: www.toolboxcentre.com.au
QLD: www.mwtoolboxqld.com.au
VIC: www.toolboxmel.com.au